for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Radar Control Transmitter
NSN 5840-01-144-3382

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Radar Control Transmitter, NSN 5840-01-144-3382, part number 7327032G1, CAGE 03538 (hereafter referred to as "Transmitter"). This document contains requirements to restore the Transmitter, to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

#### 2.1 Military Standards

MIL-STD-2073-ID DOD Standard Practice for Military Packaging

MIL-STD-129 DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

DoD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Engineering Drawing Drawing Assembly, Radar Control Transmitter

7327032, CAGE 03538

Engineering Drawing 7327032G1, CAGE 03538

Parts List, Radar Control Transmitter

Engineering Drawing 77A100698, CAGE 03538

Test Requirement, Radar Control Transmitter

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 <u>Industry Standards</u>

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems-Requirements

JESD625-A Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

**Industry Standards (For Guidance)** 

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697- 2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

# 3.0 Requirements

3.1 The Contractor shall repair the Transmitter strictly in accordance with the requirements as specified in Engineering Drawing 7327032 and Parts List 7327032G1, CAGE 03538. Testing shall be conducted in accordance with Test Requirement 77A100698, CAGE 03538 and the test results shall be documented in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to IROAN the equipment in accordance with this SOW.

### 3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use will be identified in writing by the Logistics Management Specialist (LMS), Marine Corps Systems Command (MCSC), Battlespace Management and Air Defense Systems (BMADS), Albany, Georgia 31704-0343.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or by faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP) Chapter 11 provides guidance to contractors on the requisitioning process. The

Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement, and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspections, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems-Requirements.
- 4.0 Reports. The Contractor shall develop a Test Data Report (TDR), in Contractor format, which references this SOW, the NSN, part number, and serial number of the Transmitter. The TDR shall reference the specific paragraph of Test Requirement 77A100698, CAGE 03538, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS), MCSC (BMADS). The electronic address is: SMBmatcombmads@matcom.usmc.mil. The mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, (BMADS), 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. The LMS can be reached at commercial telephone number (229) 639-5036 or DSN 567-5036. Facsimiles may be sent to commercial telephone number (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist (BMADS).

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden-for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Departions and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT  C. CATEGORY:  TDP TM OTHER  OTHER									
D. SYSTEM/ITEM		E. CONTRACT/PR NO.		I	F. CONTR						
Radar C	Control Transmitte	r									1
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE						17. PRICE GROUP
A001	Engine	(ECP)		Config	guration Mar	nageme	ent				
0 0			5. CONTRACT REFEREN	CE	6. REQUIRING OFFICE					18. ESTIMATED TOTAL PRICE	
DI-CMAN-80639C			SOW 3.3  12. DATE OF FIRST SUBMISSION			MCLBA (583)					
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ		See Blk 16		14. DISTRIBUTION		b. COPIES			
B. APP CODE		11. AS OF DA	<del>-</del>	13. DATE OF SUBSEQUENT		a.	ADDRESSEE			nal	
Α	A		SUBMISSION					Draft Reg Repro			
16. REMARKS Blk 4 - Contrac	ctor format submit	tted in .p	df or .doc form	nat is authorized.		MCLE	SA (583-1)	0	1	0	
permanently af and disposition	ECPs shall be sulfect the baseline of determined within	of a confi n 20 wor	guration item. king davs upoi	ECPs will be revi	iewed						
Block 14: ECP	ollowing address:										
Block 14: ECPs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil											
Distribution Sta	atement A: Appro	ved for F	Public Release;	; Distribution is							
Ommined.											,
											<sub>i</sub>
											1
Į.										<u>-</u>	
•										,	
											1
C DDCD4DCD DV			II DATE	1 ADDOOUSE S	<u> </u>	15. TOTAL	<u></u>	J. DATI	1	0	
G. PREPARED BY	) 1) .		H. DATE	I. APPROVED B		1	0.		22/0	ا ج	
Here !	Allens		17 Jan (	3 Lolus	K.	Vine	gen.	1/2	24/0	ן צי	
DD FORM 1423	1, AUG 96 (EG)		() PRI	EVIOUS EDITION MAY BE	USED.			Page	of	Pages	•

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwitistanding any other provision of law, no person shell be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.  D. SYSTEM/ITEM  Radar Control Transmitte		B. EXHIBIT		C. CATEGORY:  TDP TM OTHER							
			E. CONTRACT/PR								
		r			a auntiti f			, 			
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3, SUBTITLE						17. PRICE GROU
A002	Request For Deviation					Confi	guration Mar	nageme	ent		
				5. CONTRACT REFERENCE			6. REQUIRING OFFICE				
DI-0	CMAN-80640C			SOW 3.3			MCLBA	A (583)	)		TOTAL PRIC
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN				14.	14. DISTRIBUTION			<b> </b>	
LT	REGUINED	<i>A</i>	ASREQ	See Blk 1	.6			b. COPIES			
8. APP CODE	<u> </u>	11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a.	ADDRESSEE	Draft Final			
A	Α								Reg	Repro	
16. REMARKS Blk 4 - Contrac	ctor format submi	tted in .p	df or .doc form	nat is authorized.		MCLE	BA (583-1)	0	1	0	
Blks 10 & 12 -	RFDs shall be su	hmitted t	o obtain autho	rization to deliver				-			
nonconforming	material which d	oes not n	neet prescribed	configuration	30						
working days u	. RFDs will be revipon receipt by the	viewed ai e Govern	na disposition ment.	rization to deliver deconfiguration determined within	1 20			·			
						-		<u> </u>			
mbmatcomcon	figmngmnt@matc	om.usmc	.mil	following address:							
											Ľ
Distribution St   Unlimited	atement A: Appro	ved for I	Public Release	; Distribution is							
Chimined.											ľ
								ļ			
								-			
								<u> </u>			
								<u> </u>			
								<del> </del>			
											l i
									!		
								ļ		ļ	
								-		<b> </b>	
								<u> </u>			
											[ ]
											l i
								-		$\vdash \vdash \vdash$	
								<del> </del>			
					į	15. TOTAL		0	1	0	
G. PREPARED BY	<u> </u>		H. DATE	I. APPROVED R	Y	\	0 1	J. DAT	E		
$\uparrow \uparrow$	( 0 V ·		100	( )	+ K)	Lu	marli	1/	22/0	63	
Ine	www			03 2 m	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	V,"	1	•			
DD FORM 1423-	1, AUG 96 (EG)		( ) PR	EVIOUS EDITION MAY BE	USED.			Page	of	Pages	